

1D0-430 Master CIW Enterprise Developer CIW CIW Application Developer

Practice Exam: 1D0-430 Exams

Exam Number/Code: 1D0-430

Exam Name: CIW Application Developer

Questions and Answers: 180 Q&As

([Master CIW Enterprise Developer](#))



Exam : [1D0-430](#)

"CIW Application Developer", also known as 1D0-430 exam, is a CIW certification. With the complete collection of questions and answers, TestInside has assembled to take you through 180 Q&As to your 1D0-430 Exam preparation. In the 1D0-430 exam resources, you will cover every field and category in CIW Certification helping to ready you for your successful CIW Certification.

Quality and Value for the 1D0-430 Exam TestInside Practice Exams for CIW **Master CIW Enterprise Developer** Certification 1D0-430 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1D0-430 Exam.

1D0-430 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Master CIW Enterprise Developer product experts, included the current newest 1D0-430 examination questions.

3. 100% Guarantee to Pass Your Master CIW Enterprise Developer exam and get your Master CIW Enterprise Developer Certification.

If you do not pass the CIW Certification 1D0-430 exam (CIW Application Developer) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 1D0-430 Q&A ensure you pass the exam at your first try.

TestInside professional provide Master CIW Enterprise Developer 1D0-430 the newest Q&A, completely covers 1D0-430 test original topic. With our complete Master CIW Enterprise Developer resources, you will minimize your Master CIW Enterprise Developer cost and be ready to pass your 1D0-430 tests on Your First Try, 100% Money Back Guarantee included!

[CIW 1D0-430](#) Test belongs to one of the Master CIW Enterprise Developer certified test, if needs to obtain the Master CIW Enterprise Developer certificate, you also need to participate in other related test, the details you may visit the [Master CIW Enterprise Developer](#) certified topic, in there, you will see all related Master CIW Enterprise Developer certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 1D0-430 exam

1D0-430 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1D0-430 exam questions updated on regular basis

Same type as the certification exams, 1D0-430 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1D0-430 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : CIW 1D0-430

Title : CIW Application Developer

1. Consider the following code:

```
open(INFILE, "myfile");
```

Given this code, which one of the following choices demonstrates reading in scalar context?

- A. `$file = <INFILE>;`
- B. `$file < <INFILE>;`
- C. `%file = <INFILE>;`
- D. `@file <= <INFILE>;`

Answer: A

2. Antonio is naming a Perl variable. Which choice includes characters he may use?

- A. `_`, `&`, `*`
- B. `+`, `#`, `$`
- C. `$`, `@`, `%`
- D. `%`, `#`, `@`

Answer: C

3. The `do` method duplicates the function of which of the following methods?

- A. `param` and `execute`
- B. `post` and `prepare`
- C. `prepare` and `execute`
- D. `post` and `execute`

Answer: C

4. What is the main danger in using cookies and hidden fields?

- A. They can be deleted.
- B. They can be edited.
- C. They can be blocked by the browser.
- D. They can be viewed.

Answer: B

5. The `CGI.pm` module can be used to perform which one of the following tasks?

- A. GET or POST data
- B. Load external variables
- C. Read large amounts of text into the script
- D. Access environment variables

Answer: D

6. Which one of the following variables is used if no variable was specified in a pattern match, substitution operator or print statement?

- A. \$nul
- B. \$#
- C. \$_
- D. \$*

Answer: C

7. Which choice best describes how to access individual elements of an array?

- A. Use an index starting with 1
- B. Use an index starting with 0
- C. Use a pointer
- D. Use a key value

Answer: B

8. Which one of the following choices lists the four steps of interaction with a database?

- A. Connect, Read, Write, Disconnect
- B. Connect, Send a command, Write, Disconnect
- C. Connect, Query, Read/Write, Disconnect
- D. Connect, Send a command, Display results, Disconnect

Answer: D

9. The start_html method of CGI.pm yields which one of the following results?

- A. "content-type:Ann"
- B. <HTML><BODY>
- C. <FORM METHOD=A ACTION=B ENCODING=C>
- D. <INPUT TYPE="submit" VALUE=A>

Answer: B

10. Which set of operators is used to read and write to a file in random-access mode?

- A. < >
- B. < >>
- C. +< +>
- D. -<< ->>

Answer: C

11. Which one of the following choices best describes data tainting?

- A. Tainted data can be used by eval, system, or exec.
- B. Tainted data cannot be accessed by the script.
- C. Variables containing external data cannot be used outside the script.
- D. Data tainting is enabled using the D switch.

Answer: C

12. Consider the following code:

```
open( INPUT, "Chapter1");
```

Given this code, which one of the following choices demonstrates reading in list context?

- A. %file = <INPUT>;
- B. @file = <INPUT>;
- C. @%file < <INPUT>;
- D. \$file = <INPUT>;

Answer: B

13. Before allowing a user to submit data with a Web form, which of the following tasks should be performed?

- A. The data should be validated by the script.
- B. The data should be validated by the programmer.

C. The data should be compared to valid data stored in a list.

D. The data should be passed through the validate() method.

Answer: A

14. List context versus scalar context is determined by which one of the following?

A. The compiler

B. The debugger

C. The interpreter

D. The environment

Answer: C

15. Which choice demonstrates the correct syntax for the DELETE command?

A. DELETE MyDatabase WHERE VALUES state=Kentucky AND color=blue

B. DELETE MyDatabase WHERE state=Kentucky AND color=blue

C. DELETE FROM MyDatabase WHERE state=Kentucky AND color=blue

D. DELETE state=Kentucky AND color=blue FROM MyDatabase

Answer: C

16. Which method is used in a Perl script to access the variables POSTed by an HTML form?

A. prepare();

B. param();

C. header ();

D. post();

Answer: B

17. Which choice best demonstrates how the print statement may be used to print HTML code?

A. print HTML>>;

B. print <HTML>;

C. print ("HTML");

D. print ("<HTML>");

Answer: D

18. Consider the following HTML code:

```
<INPUT TYPE=text NAME=state VALUE=>
```

Given this code, which one of the following choices best describes how the data should be written to a file?

A. print OUTPUT, "state" . param("State: ");

B. print OUTPUT "State: " . param("state");

C. print OUTPUT, "State: " . ("state");

D. OUTPUT "state" . param("State: ");

Answer: B

19. Which one of the following statements allows for variable substitution?

A. \$sql=qq{SELECT * FROM MyDatabase WHERE state=\$state};

B. \$sql=q{SELECT * FROM MyDatabase WHERE state=\$state};

C. \$sql=q{SELECT * FROM MyDatabase WHERE state=\$state};

D. \$sql=qq{SELECT * FROM MyDatabase WHERE state=\$state};

Answer: A

20. The file mode specifies which one of the following?

A. The access permissions

B. The inode number

C. The file's owner

D. How the file is opened

Answer: D

[More 1D0-430 Information](#)

Related 1D0-430 Exams

[1D0-435](#) CIW JAVA XSCRIPT FUNDAMENTALS

[1D0-437](#) CIW PERL FUNDAMENTALS

[1D0-430](#) CIW Application Developer

Other CIW Exams

[1D0-435](#) [1D0-571](#) [1D0-410](#) [1D0-525](#) [1D0-437](#) [1D0-541](#) [1D0-570](#) [1D0-430](#)

[1D0-520](#) [1D0-420](#) [1D0-51B](#) [1D0-476](#) [1D0-425](#) [1D0-538](#) [1D0-510](#) [1D0-450](#)

[1D0-441](#) [1D0-460](#) [1D0-470](#) [1D0-475](#)